

DeLaval Teat Cleaner NI01

SAFETY DATA SHEET

Preparation Date: 09-Dec-2016 Revision Date: 09-Sep-2024 Revision Number: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name DeLaval Teat Cleaner NI01

Other means of identification

Item#: 1286 Synonyms None

Recommended use of the chemical and restrictions on use
Recommended use Formulated for use in VMS

Uses advised against All other

Details of the supplier of the safety data sheet

Supplier DeLaval Manufacturing

11100 N. Congress Ave.

Kansas City, MO 64153: 816-891-7700, 8am - 5pm M-F

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corresive to metals	Category 1

Label Elements

Emergency Overview

DANGER

Hazard Statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance Dark blue Physical state Liquid Odor No information available

Precautionary Statements - Prevention

Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Keep only in original container

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Revision Date: 09-Sep-2024

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Sulfonic acids, C14-16-alkane hydroxy and	68439-57-6	10 - 20
C14-16-alkene, sodium salts		
Lactic acid	79-33-4	11.8
Formic acid	64-18-6	11.5

If a concentration range is shown, the exact concentration has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first-aid measures

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

Corrosive. The product causes burns of eyes, skin and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Revision Date: 09-Sep-2024

Suitable Extinguishing Media

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

Corrosive to metals. The product causes burns of eyes, skin and mucous membranes.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health hazards 3 Flammability 0 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up. Store in corrosive resistant container with a resistant inner

liner.

Incompatible Materials bases, light metals (e.g. aluminum, copper, brass, zinc galvanized), bleach

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formic acid	TWA: 5 ppm	TWA: 5 ppm	30 ppm
64-18-6	STEL: 10 ppm	TWA: 9 mg/m³	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Tightly fitting safety goggles.

Skin and body protection Apron or other light protective clothing, boots and plastic or rubber gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Remarks/ Method

Revision Date: 09-Sep-2024

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidOdorNo information availableAppearanceDark blueOdor ThresholdNo information available

Property Values

pH 1.5 - 2.0

Melting point/freezing point No inform

Melting point/freezing pointNo information availableBoiling Point/RangeNo information availableFlash PointNo information availableEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor Pressure
Vapor Density

No information available
No information available
No information available
No information available

Specific Gravity 1.1
Water Solubility soluble

Partition coefficient: No information available

n-octanol/water

Autoignition Temperature
Decomposition temperature
Kinematic viscosity
No information available
No information available
No information available
No information available

Other information

Liquid Density 9.2 lb/gal

10. STABILITY AND REACTIVITY

Reactivity

May react with other chemicals. Do not mix with other chemicals except as directed on label.

Chemical Stability

stable when stored at temperatures not exceeding 80°F. Long-term storage at higher temps may degrade product over time.

Possibility of hazardous reactions

May spatter and release heat if mixed with bases (alkalis). Mixing with chlorinated products may release deadly chlorine gas. May react with and cause damage to soft metals such as aluminum, copper, brass or zinc (galvanized) to produce flammable, potentially explosive, hydrogen gas.

Revision Date: 09-Sep-2024

Conditions to Avoid

Product may degrade if exposed to long-term high temperature.

Incompatible Materials

bases, light metals (e.g. aluminum, copper, brass, zinc galvanized), bleach

Hazardous decomposition products

None known.

11. TOXICOLOGICAL INFORMATION

<u>Principal Routes of Exposure</u> Eye contact, Skin contact, Ingestion

Information on likely routes of exposure

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Extremely corrosive and destructive to tissue.

Ingestion Ingestion causes burns of the upper digestive and respiratory tracts.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Causes burns.
Serious eye damage/eye irritation Causes eye burns.

SensitizationProduct is not identified as a sensitizer according to OSHA regulations.Mutagenic effectsProduct is not identified as a mutagen according to OSHA regulations.CarcinogenicityProduct is not identified as a carcinogen according to OSHA regulations.

Reproductive EffectsProduct is not identified as having reproductive effects according to OSHA regulations. **STOT - single exposure**Product is not identified as having single target organ toxicity (single exposure) according to

OSHA regulations.

STOT - repeated exposure Product is not identified as having single target organ toxicity (repeated exposure) according

to OSHA regulations.

Aspiration Hazard Product is not identified as an aspiration hazard according to OSHA regulations.

Numerical measures of toxicity

If available, toxicity values of individual components are shown below.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfonic acids, C14-16-alkane	2220 mg/kg (Rat)	> 740 mg/kg (Rabbit)	> 52 mg/L (Rat) 4 h
hydroxy and C14-16-alkene, sodium			
salts			
68439-57-6			
Lactic acid	3543 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	7.94 mg/L air (Rat)
79-33-4			
Formic acid	730 mg/kg (Rat)	> 2000 mg/kg (Rat)	7,85 mg/L (Rat) vapour 4h
64-18-6			

0% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Sulfonic acids,	No data available	1.0 - 10.0: 96 h Brachydanio	No data available	No data available
C14-16-alkane hydroxy and		rerio mg/L LC50 static		
C14-16-alkene, sodium salts		12.2: 96 h Brachydanio rerio		
68439-57-6		mg/L LC50 semi-static		
Lactic acid 79-33-4	No data available	100 - 180: 96 h Lepomis macrochirus mg/L LC50 static 100 - 180: 96 h	LC50: >88.2 mg/L 3h	180 - 320: 48 h Daphnia magna mg/L EC50 Static 240: 48 h Daphnia magna mg/L EC50
		Oncorhynchus mykiss mg/L LC50 static 320: 96 h Brachydanio rerio mg/L LC50 semi-static		
Formic acid 64-18-6	25: 96 h Desmodesmus subspicatus mg/L EC50 26.9: 72 h Desmodesmus subspicatus mg/L EC50	No data available	EC50 = 46.7 mg/L 17 h	138 - 165.6: 48 h Daphnia magna mg/L EC50 Static 120: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Contact your local waste disposal authority for advice, or pass to a chemical disposal

company.

Contaminated Packaging Triple rinse containers. Avoid contamination of any water supply with product or empty

packaging. Empty containers should be taken for local recycling, recovery or waste

Revision Date: 09-Sep-2024

disposal.

14. TRANSPORT INFORMATION

DOT

UN-No 3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s (Formic acid, L-(+)-lactic acid)

Hazard Class 8
Packing Group

15. REGULATORY INFORMATION

State Regulations

Ctato regulations				
	Chemical name	New Jersey	Massachusetts	Pennsylvania
	Formic acid	X	X	X
	64-18-6			

Revision Date: 09-Sep-2024

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. OTHER INFORMATION

Preparation Date: 09-Dec-2016
Revision Date: 09-Sep-2024
Revision Note: None

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of SDS